


FREEDOM SERIES - LFF3

Progressive Cavity Pump



0-150

Features

- Handles majority of sanitary applications
- Interchangeable parts with other manufacturers
- Various sizes to fit the best for your application
- Designed to handle viscous materials
- Self-priming capabilities
- Can provide continuous flow for metered applications

GPM

Materials

Rotor: 316 Chrome-Plated Stainless Steel

Stator: Food Grade Buna Nitrile, Viton™, EPDM **Motor:** Up to 2 hp

Inlet: 1-1/2" TriclampOutlet: 1-1/2" Triclamp

Bases: Steel and Stainless Steel

Curves

Click Links Below

1-Stage 2-Stage **1LFF3 2LFF3**

Pump Description

The Liberty Process Equipment Freedom Series is your best choice for Sanitary Progressive Cavity Pump applications. Designed for food-grade installation, these pumps have been designed to handle fluids as thin as alcohol, spirits and soups to viscous icings, yeast and ice cream. The LFF3 series is an ideal solution for yeast transfer in the baking industry and comes with a 1-1/2" Triclamp connection standard.

The Liberty Freedom Series of Sanitary progressive Cavity Pumps offer several important advantages over other types of positive displacement sanitary food grade pumps like Rotary lobe Pumps. Liberty PC Pumps have only one (1) shaft seal to maintain and do not have complicated complicated timing gears. Liberty Freedom Series Pumps are designed for quick disassembly for cleaning and sterilizing by hand. No additional tools for cleaning are required.

Freedom Series pumps are made with highly polished 316 Stainless Steel wetted parts. Elastomers are offered in Sanitary Buna, EPDM and Fluroelastomer. Stock pumps are carried with food grade Packing Seal type, but can be retrofitted with a Mechanical Seal (Single or Double). Pumps are equipped with Tri-Clamp Connections and a Clean-In-Place connection can be added. Hopper Feed pumps are also available for viscous material handling. Liberty also can manufacture the Freedom Series pump you purchase as a complete package including base, motor and any other requirements you may have per application.

Contact a Liberty Process representative today for more information about the Freedom Series for your sanitary pump application. Liberty Freedom Series LFF3 Progressive Cavity Sanitary Pump Parts also work with the Moyno™ FF3 and the Tarby™ TFF3 Series*.








FREEDOM SERIES - ILFF3

Progressive Cavity Pump
Performance Curves

RPM	200	400	600	800	1000	1200	
NPSH REQ'D	.6	1.3	2	2.6	3.2	3.9	
MIN. HP	1/4	1/3	1/3	1/2	3/4	3/4	







FREEDOM SERIES - 2LFF3

Progressive Cavity Pump
Performance Curves

RPM	200	400	600	800	1000	1200	
NPSH REQ'D	.6	1.3	2	2.6	3.2	3.9	
MIN. HP	1/4	1/3	1/2	3/4	-	_	

